

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Marilyn E. Shade et al.

Assignee:

Adobe Systems, Inc.

Title:

"Text Composition Spacing Amount Setting Device With Icon

Indicators"

Serial No.:

09/964,293

Filing Date:

September 25, 2001

Atty. Docket No.:

07844-469001

Redwood City, California December 20, 2001

Attn: Official Draftsperson

COMMISSIONER FOR PATENTS

Washington, D. C. 20231

SUBMISSION OF FORMAL DRAWINGS

Dear Sir:

Applicant submits (14) sheets of formal drawings, Fig. 1, Fig. 2, Fig. 3, Fig. 4, Fig. 5, Fig. 6, Fig. 7, Fig. 8A, Fig. 8B, Fig. 9, Fig. 10A, Fig. 10B, Fig. 11, Fig. 12, Fig. 13A and Fig. 13B, in the present application. If there are any questions regarding these drawings, please call the undersigned at (650) 839-5070.

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231, on December 20, 2001.


Signatur

Respectfully submitted

ik Wollborn Fredrik Mollborn

Reg. No. 48,587

FISH & RICHARDSON P.C. 500 ARGUELLO STREET SUITE 500 REDWOOD CITY, CA 94063 (650) 839-5070 FAX (650) 839-5071




Appricaire, iviainyn E. Snaue et al. Serial No.: 09/964,293 Filing Date: 09/25/2001 Title: "Text Composition Spacing Amount Setting Projec With Icon" Attorney Docket No. 07844-469001

2/14 120 130 File (E) Edit (E) Layout (L) Type (T) Object (Q) View (V) Window (W) Help (H) 80 milimburitum 190 21 storing four storing four information on character(s) being composed. Untitled - 3 @ 200% 24 問 脏

Title: "Text Composition Spacing Amount Setting Device With Icon" Attorney Docket No. 07844-469001

3/14




+



X X	W •	mum Maximum Cancel	50% ▼ New 50% ▼ 50% ▼ Save		Advanced Settings 50%		■ 20% ■	● %09	€ 20%	1	● 20% ●	● 20%	● 20%		▼ 25%
		Minimum	50% 50% 50%	25%	50% 0% 50%		%0	%0	%0	%0	%0	%0	%0		%0
		ired	P P				•	•	·	Þ	•	·	•		Þ
		Desired	50% 50% 50%	25%	50% 0% 50%		20%	20%	20%	20%	20%	20%	20%		25%
	vidth		↓ Line End:↓ Line End:↓ Line End:	→ Line End:	Starting Parentheses: → Glyphs: Starting Parenthese:		Starting Parentheses:	→ Glyphs:	Starting Parentheses:	Starting Parentheses:	→ Glyphs:	Starting Parentheses:	→ Glyphs:	the state of the section of the last	nd arrer conjunctive dots:
Character Spacing Settings	Punctuation full-w		Ending Parentheses Periods Commas	Dots	nd ————————————————————————————————————	90	Glyphs	Ending Parentheses	Ending Parentheses	Periods	Periods	Commas	Commas		Before ar
haracter S	Character Composition	- Line End		□	-Line Head	- Within Line				∑	<u>₩</u>	<u>></u>	∰ ↑	Ë	第二三





								2													正
X	Š	Cancel	New	Savo	Save	Delete		Advanced Settings													
			Priority	None •	3	None •	None 🔻	-	None •	2	None •	None •	None •	None 🔻	None •	None ▼	None •	4	4	3	3
	▶		mnr	D	•	•	•	D		•	D	▶	▶	•	•	•	▶	D	▶	•	▶
	%		Maximum	%0	%0	%0	%0	25%	%0	%0	100%	100%	100%	%0	100%	100%	100%	%0	%0	%0	%0
	•	▶	En	•	D	•	▶	•	•	•	▶	▶		•	•		▶	•	•	•	•
			Minimum	%0	%0	%0	%0	%0	%0	%0	%0	%0	%0	%0	%0	%0	%0	%0	%0	%0	%0
		type	pa	•	•	▶	•	▶	•	•	•	•	•	•	•	▶	▶	▶	▶	•	▶
		nthesis	Desired	%0	%0	%0	%0	25%	%0	%0	%0	%0	%0	%0	%0	%0] %0	%0	%0	%0	%0
Character Spacing Settings	Character Composition: Line end punctuation half-width	Previous character class	Types Ending Character Class	Starting Parentheses:	Ending Parentheses:		Ending Punctuation Marks:	Conjunctive Dots:	►bl.i Commas: [(Period: [Ellipses:	Previous Abbreviated Symbols:	Subsequent Abbreviated Symbols:	Ideaographic Spaces:	Hiragana:	Other Ideographs:	Full-width Digits:	Half-width Digits:	Western Alphabet:	Line End:	Paragraph Head:

Serial No.: 09/964,293 Filing Date: 09/25/2001
Title: "Text Composition Spacing Amount Setting Devil - With Icon"
Attorney Docket No. 07844-469001

MAR 0 8 2004 B
•

	Previous Character	-	2	ဧ	4	2	9
		Starting parenthesis parenthes	Ending parenthesis type	Character that cannot appear at the start of	Non- centered punctuation	Centered punctuation	Period
Next Character				a line			
-	Starting parenthesis type					8	
2	Ending parenthesis type	3		2	2	8	
က	Character that cannot appear at the start of a line	1				8	
4	Non-centered punctuation	-				8	
2	Centered punctuation	80	80	8	8	8 8	000
9	Period	4		5	5	8	
7	Comma	9		7	7	7 8	
8	Repeating characters that cannot be broken across lines	-				8	
6	Preceding abbreviation code	-				8	
9	Following abbreviation code	-				8	
=	Full-width ideographic spaces					8	
12	Hiragana	_				8	
13	Japanese character other than those listed above	-				8	
14	Full-width numeral	-				8	
15	Half-width numeral	-				8	
16	Half-width Roman text	_				8	
17	Start of line	12					
18	Start of paragraph	10					



17	End of line		13	16	14	15								
16	Half- width Roman text	i i	2	8	5	7			6	6	တ			11
15	Half-width numeral		2	8	2	7			6	6	ര			=
14	Full- width numeral		2	8	5	7						6	6	11
13	Japanese character other than those listed above		2	8	5	7						6	တ	11
12	Hiragana		2	8	5	7						6	6	11
11	Full-width ideographic spaces			8	5	7								11
10	Following abbreviation code		2	ω	5	7								11
6	Preceding Following Full-width abbreviation abbreviation ideographic code spaces		2	8	5	7								1
8	Repeating characters a that cannot be broken across lines		2	8	9	7								=
7	Comma			8										

ם

FIG. 8.

FIG

_





	T	Text Composition Spacing Amount Setting File Name
Default	1	Set punctutation half-width at line end
Settings	2	Set close paren / quote half-width at line end, paragraph indentation 1 em (set opening paren / quote full-width)
	3	Set close paren / quote half-width at line end, paragraph indentation 1 em (set opening paren / quote half-width)
	4	Set punctutation full-width, paragraph indentation 1 em
	5	Set punctuation full-width, paragraph indentation 1 em (set opening paren / quote full-width)
	6	Set punctuation full-width / half-width at line end, paragraph indentation 1 em
	7	Set punctuation full-width / half-width at line end, paragraph indentation 1 em (set opening paren / quote full-width)
	8	Set punctuation full-width / half-width at line end, paragraph indentation 1 em (set opening paren / quote half-width)
	9 .	Set punctuation half-width at line end, paragraph indentation 1 em
	10	Set punctutation full-width
	11	Set close paren / quote full-width / half width at line end
	12	Set period full-width at line end, paragraph indentation 1 em
	13	Set period full-width at line end, paragraph indentation 1 em (set opening paren / quote full-width)
	14	Set period full-width at line end
Individual	15	
Settings	16	
	17	
	18	
	19	
	20	

FIG._9

Serial No.: 09/964,293 Filing Date: 09/25/2001
Title: "Text Composition Spacing Amount Setting Dev
Attorney Docket No. 07844-469001

Starting Ending parenthesis parenthesis type type type annot be broken across lines	Character Non- that cannot centered appear at punctuation the start of a line	Centered	Period
Starting Ending parenthesis parenthesis parenthesis parenthesis parenthesis parenthesis parenthesis parenthesis parenthesis type ter that cannot appear at the start of a line thered punctuation ad punctuation ad punctuation a sing characters that cannot be broken across lines ing abbreviation code			Period
parenthesis type parenthesis type ter that cannot appear at the start of a line ntered punctuation ed punctuation ed punctuation ing characters that cannot be broken across lines ing abbreviation code			
parenthesis type parenthesis type ter that cannot appear at the start of a line intered punctuation ad punctuation ing characters that cannot be broken across lines ing abbreviation code	a line		
parenthesis type parenthesis type ter that cannot appear at the start of an appear at the start			
parenthesis type ter that cannot appear at the start of a utered punctuation ad punctuation ad punctuation an ing characters that cannot be broken ing abbreviation code			
ter that cannot appear at the start of a ntered punctuation ad punctuation a number of a n			
ntered punctuation ad punctuation a a ing characters that cannot be broken ing abbreviation code			
ed punctuation a ing characters that cannot be broken ing abbreviation code			
ing characters that cannot be broken ing abbreviation code			
ng characters that cannot be broken ig abbreviation code			
11			
eceding abbreviation code			
rollowing appreviation code			
Full-width ideographic spaces			
Hiragana			
Japanese character other than those listed above			
Full-width numeral			
Half-width numeral			
Half-width Roman text		111111	
Start of line		111111	, ,
Start of paragraph			

FIG._ 10A

Priority

Maximum 50%

Minimum 0%

Optimum 50%

With Icon"



Applicant: Marilyn E. Shade et al. Serial No.: 09/964,293 Filing Date: 09/25/2001 Title: "Text Composition Spacing Amount Setting De Attorney Docket No.: 07844-469001

7ith Icon"

		-,	 	 						 	
17	End of line	}									
16	Half- width Roman text										
15	Half-width numeral										
14	Full- width numeral										
13	Japanese character other than those listed above										
12	Hiragana										
11	Full-width ideographic spaces										
10	Following abbreviation code										
6	Repeating Preceding Following Full-width characters abbreviation abbreviation ideographic that code code spaces cannot be broken across lines										
8	Repeating characters that cannot be broken across lines										
7	Comma										





Applicant: Marilyn E. Shade et al.
Serial No.: 09/964,293 Filing Date: 09/25/2001
Title: "Text Composition Spacing Amount Setting Device"
Attorney Docket No.: 07844-469001

										_												<u>II</u>
X	OK N	Cancel		New	Covid	Save	Delete		Basic Settings													
				ξį	▶	•	▶	▶	D	•	▶	•	▶	•	D	▶	•	▶	▶	•	•	▶
				Priority	3	3	None	None		None	2	None	None	None	None	None	None	None	None	None	None	None
				띹	▶	▶	▶	▶	▶	•	•	•	•	▶	▶	▶	▶	•	▶	▶	•	•
	▶			Maximum] %0] %0] %0] %0] 72%] %0] %0	100%	100%	100%] %0	100%	100%	100%] %0] %0] %0	% 0
	%			mn	•	•	▶	•	•	•	▶	•	▶		•	•	•	•	•	•	•	•
	▶	▶		Minimum	%0	%0	%0	%0	%0	%0	%0	%0	%0	%0	%0	%0	%0	%0	%0	%0	%0	%0
				,eq	•	▶	•	•	▶	•	•				•	▶	•	▶	•	•	▶	▶
·		g		Desired																_		
		St	-		%0	%0	%0	%0	25%	%0	%0	%0	%0	%	%0	%0	%0	%0	%0	%0	%0	%0
Character Spacing Settings	Character Composition: Line end punctuation half-width	Previous character class 🔻 : Starting parathesis type	Examples of Character Classes:	Ending Character Class D	Starting Parentheses: 0%		Line Head Japanese Word-wrapping: 0%	Ending Punctuation Marks: 0%	Conjunctive Dots: 25%	Commas: 0%	Period: 0%	Ellipses: 0%	Previous Abbreviated Symbols: 0%	Subsequent Abbreviated Symbols: 0%	Ideaographic Spaces: 0%	Hiragana: 0%	Other Ideographs: 0%	Full-width Digits: 0%	Half-width Digits: 0%	Western Alphabet: 0%	Line End: 0%	Paragraph Head: 0%



Icon"






Applicant: Marilyn E. Shade et al.

Serial No.: 09/964,293 Filing Date: 09/25/2001

Title: "Text Composition Spacing Amount Setting Devi. Attorney Docket No.: 07844-469001

th Icon"





Class Icon Table	
Character Class	Icon
Starting parenthesis	
Ending parenthesis	M
Character that cannot appear at the start of a line	2
Non-centered punctuation	?
Centered punctuation	H
Period	<u> </u>
Comma	
Repeating characters that cannot be broken across lines	
Preceding abbreviation code	¥
Following abbreviation code	%
Full-width ideographic spaces	
Hiragana	あ
Japanese character other than above	関
Full-width numeral	8
Half-width numeral	8
Half-width Roman text	A
End of line	1
Start of paragraph	q

FIG._13B